



VEHICLE SERVICE

High-performance products. Designed for you!



### **Impact wrenches**

**BENEFITS** 

- ✓ Max torque (rev): 625 Nm
- ✓ One hand operation forw rev
- ✓ New power setting system:
- 1 hand-operation behind the trigger
- ✓ 2 positions in reverse: max and lower torque
- ✓ 2 positions in forward: max and low torque
- ✓ Length: 108 mm
- ✓ Jumbo Hammer
- ✓ Weight: 1,0 kg

CP7732C Art nr 8941077321

1699:-

1/2" Ultra Lightweight, asy operation and Compact

#### **BENEFITS**

- ✓ Max torque (rev): 250 Nm (3/8") Max torque (rev): 300 Nm (1/2")
- ✓ One hand operation forw rev
- 3 setting positions
- ✓ Length: 240 mm
- ✓ Jumbo Hammer
- ✓ Weight : 1,1 kg

P**7727 3/8"** nr 8941077270

CP7737 1/2' Art nr 8941077370

2500:-

More Compact, lighter, more powerful and durable than competition

(



3500:-

#### **CP7762**

Art nr 8941077620 3/4" · Ultra compact and lightweight

#### **BENEFITS**

- √ 3/4" composite impact wrench with ring retainer
- ✓ 1420 Nm of maximum torque in reverse
- ✓ S2S easy forward reverse
- ✓ Low consumption air motor at 16.4 l/s
- ✓ One hand Forward & Reverse speed regulator button
- ✓ Full teasing developed trigger
- ✓ Twin Hammer mechanism
- ✓ Length: 159 mm ✓ Weight: 2,9 kg

#### **BENEFITS**

- ✓ 1250 Nm of maximum torque in reverse
- ✓ 3 positions in fwd 245, 650, 990 Nm.
- ✓ Most powerful tool on the market in its class: 1250 Nm of maximum real torque in reverse
- Lightweight due to composite housing
- ✓ Contoured comfort grip handle instead of TPR injected in handle
- ✓ Smooth Forward / Reverse Switch on back
- ✓ Twin hammer mechanism
- ✓ Length: 200 mm
- ✓ Weight: 2.0 kg



MATTE

2

## **Impact wrenches**





Art nr 8941077826

High Torque & Comfort 1" wrench with 6" extended anvil

5999:-



### **Pneumatic tools**



#### **BENEFITS**

- ✓ Ideal for high volume tire work on trucks, buses, and heavy equipment
- ✓ Lenght: 572 mm ✓ Weight : 16,2 kg

#### **BENEFITS**

- ✓ High accessibility to tight spaces
- ✔ Better speed control
- ✓ Free speed: 280 rpm
- ✓ Max torque 35 Nm
- ✓ Length: 169 mm
- ✓ Weight : 0,5 kg

**CP825C 1/4"**Art nr 8941082511

**CP825CT 3/8"** 

nr 8941082512



1650:-

High Accessibility, High Speed, and Superior Durablity



8941078293

8941078294

1799:-

1799:-

#### **BENEFITS**

- ✔ Advanced motor and head design
- ✓ Better access to restricted areas
- ✓ Free speed: 225 rpm
- ✓ Max torque 95 Nm
- ✓ Length: 272 mm
- ✓ Weight: 1,24 kg

High Speed High Power Superior Durability



#### CP9105Q-B

nr 6151952105

✔ Power: 210 W

✓ Free speed: 28000 rpm ✓ Length & Weight: 160 mm 0,4 kg 930:-

CP9106Q-B rt nr 6151952106

✔ Power: 240 W

✓ Free speed: 23000 rpm

✓ Length & Weight: 120 mm 0,7 kg

1050:-

CP9108Q-B Art nr 6151952108

✔ Power: 210 W

✓ Free speed: 23000 rpm✓ Length & Weight: 200 mm 0,5 kg

1050:-



6151952110

✔ Power: 210 W

✓ Free speed: 27000 rpm

✓ Length & Weight: 260 mm 0,7 kg

980:-

All Grinders inludes 1/4" and 6 mm collets

### **Pneumatic tools**





Art nr 6151949789

Art nr 6151949791 versible and keyless chuck



CP7115 Art nr 8941071150

Compact to reach small areas

#### **BENEFITS**

- ✓ Good power/weight ratio
- ✔ Blows per minute: 2400
- ▶ Bore Stroke: 23.5 mm 11 mm
- ✔ Power: 1.8 joule
- ✓ Needle capacity: 19 x 1/8 (3)
- ✓ Length Weight: 290 mm 1.3 kg

#### **BENEFITS**

✓ Excellent for paint removal, weld sanding, smoothing and rust removal in tight area

999:-

- ✔ Paper size 10x330
- ✓ Free speed: 22000 rpm
- ✓ Power: 260 W
- ✓ Weight: 0,90 kg

**CP9779** 

rt nr 6151939779

xible & easy handling





#### **BENEFITS**

- ✔ Reduced vibration for comfort and control
- ✓ Strokes per minute10000
- ✓ Stroke: 10 mm
- ✓ Net weight: 0.86 kg
- ✓ Length: 229 mm



18 TEETH · Art nr 8940158775 24 TEETH · Art nr 8940158776 32 TEETH · Art nr 8940158777

141:-



# **Workshop equipment**



MODEL	PART NUMBER	LENGTH	LIFTING CAPACITY		PRICE
		mm	ton	mm	
CP80015	8941081015	920	1.5	540	3 999:-
CP80020	8941181020	750	2.0	505	3 9 99:-
CP80030	8941181030	779	3.0	550	3 999:-

### WHEEL DOLLY



MODEL	PART NUMBER	CAPACITY (kg)	MIN HIGHT (mm)	MAX HIGHT (mm)	MAX FORK WITH (mm)	PRICE
CP87120	8941087120	1200	1360	2110	1510	13 500:-



8941089100	3/8"	20-100	0,5	410	1,50	1 500:-
8941089150	1/2"	40-200	1,0	520	2,02	1 600:-
8941089200	3/4"	150-750	5,0	1060	16,20	5 500:-
8941089250	1"	200-1000	5,0	1255	16,20	6 850:-
とはいい						

#### **WORKSHOP PRESS**

CP8910 CP8915

CP8925



MODEL	PART NUMBER	CAPACITY	PRESS HIGHT		PRICE
		tons	mm min.	mm max.	
CP86200	8941086200	20	185	1175	9 500:-
CP86300	8941086300	30	151	1031	16 000:-
CP86750	8941086750	75	170	884	35 500:-
CP86100	8941086100	100	114	814	49 000:-

### **Accessories**





#### **HOSE REELS**

- Extreme Robustness
- Made for All Purposes
- Adapted even to Industrial Uses



- Open
- More adapted to dirty environments
- Still Great Robustness and For All Purposes



PIC. REF	DESCRIPTION	PART NUMBER	THREAD	HOSE LENGTH (m)	Ø INT. (mm)	MATERIAL	PRICE
Α	BSP HR8108	8940171991	1/4"	10	8	Composite	1 600:-
Α	BSP HR8208	8940171995	1/4"	10	8	Aluminum	2000:-
Α	BSP HR8110	8940171993	1/4"	16	10	Composite	2300:-
Α	BSP HR8210	8940171997	1/4"	16	10	Aluminum	3 000:-
В	BSP HR9110	8940172001	3/8"	21	10	Composite	4300:-
Α	BSP HR8113	8940171999	1/2"	16	13	Composite	3 300:-
В	BSP HR9113	8940172003	1/2"	16	13	Composite	4600:-

#### **AIR FLEX**

Aimed to improve the working ergonomy, Air flex connectors can rotate  $360^\circ$  eliminating efforts when working in cramped spaces



MODEL	PART NUMBER	RECOMMENDED FLOW - MAX	PRICE
		l/s	
1/4"	894 017 1568	12	450:-
3/8"	894 017 1570	35	599:-
1/2"	894 017 1566	35	599:-

# SWIVEL

Aimed to improve the working ergonomy, Air flex connectors can rotate 360° eliminating efforts when working in cramped spaces.

CONTRACTOR SPECIAL PROPERTY.	and the second second	THE RESERVE OF THE PARTY OF THE
MODEL	PART NUMBER	PRICE
SWIVE	894 015 8412	150:-



#### **OIL AND GLOVES**

AND ADDRESS OF THE PARTY OF THE		
DESCRIPTION	PART NUMBER	PRICE
Air Tool Oil - 120 ml	CA149661	40:-
CP Gloves L	8940158618	350:-
CP Gloves XL	8940158619	350:-

#### **BLOW GUN**

DESCRIPTION	PART NUMBER	PRICE
Blow gun standard	615 811 2690	140:-
Blow gun standard silencer	615 811 2700	140:-
Blow gun extended nozzle	615 811 2710	140:-
Blow gun extended nozzle silencer	615 811 2720	180:-



#### COUPLINGS; FILTERS, REGULATORS, LUBRICATORS (FRL) - CHECK OUR MAIN CATALOG



Regulator adjusting knob

1/4", 3/8" and 1/2" NPT and BSP sizes

Protect gauge Always on the right position

Aluminium body



Oil adjustment

Oil fill plug

Bowl guard with integral plastic bowl

Semi automatic drain



# Easily find the tools you need to get the job done!











Get the free CP ToolBox Scan this QR code or visit www.cp.com/app



Order the complete catalogue at order.seo@cp.com or from your dealer.

ORDER DIRECT: ORDER.SEO@CP.COM

THE NEAREST DEALERS: +46 (0)525 35255

#### **CHICAGO PNEUMATIC TOOLS DIVISION**

Västgötavägen 30, 451 34 UDDEVALLA
Tel: + 46 (0) 525 352 55
Email: info.seo@cp.com • order.seo@cp.com

Distributor

