



Chicago
Pneumatic

**SUPER
INDUSTRIAL**

CAMPAIGN
SPECIAL OFFER SPRING 2018

**INDUSTRIAL
TOOLS**

FOR GENERAL & INDUSTRIAL MAINTENANCE,
MANUFACTURING & HEAVY PRODUCTION

High-performance products.
Designed for you!



*Dust-proof (IP6)
and ATEX certified*

CP6748EX-P11R ATEX

Art nr 6151590570

CP6768EX-P18D ATEX

Art nr 6151590580

CP6778EX-P18D ATEX

Art nr 6151590590



BENEFITS · CP6748EX 1/2"

- ✓ Working Torque Range (fwd): 180-760 Nm
- ✓ Maximum Torque (reverse): 1085 Nm
- ✓ Free speed: 8400 rpm
- ✓ Blows per minute: 1200
- ✓ Weight : 2,4 kg

2999:-

BENEFITS · CP6768EX 3/4" & CP6778EX 1"

- ✓ Working Torque Range (fwd): 400-1400 Nm
- ✓ Maximum Torque (reverse): 1750 Nm
- ✓ Free speed: 5100 rpm
- ✓ Blows per minute: 1050
- ✓ Weight : 4,4 & 4,6 kg

5700:-

BENEFITS

- ✓ Working Torque Range (fwd): 350-1290 Nm
- ✓ Maximum Torque (reverse): 1630 Nm
- ✓ Free speed: 6300 rpm
- ✓ Blows per minute: 900
- ✓ Length: 222 mm
- ✓ Weight : 5.5 and 5,6 kg

Compact, Robust & Powerful

CP6763 3/4"

Art nr 6151590400

4000:-

CP6773 1"

Art nr 6151590410

4000:-



*The Best
Super Industrial 1"*

BENEFITS

- ✓ Working Torque Range (fwd): 1220-2440 Nm
- ✓ Maximum Torque (reverse): 3790 Nm
- ✓ Free speed: 3500 rpm
- ✓ Blows per minute: 650
- ✓ Length: 272 mm
- ✓ Weight: 10.5 kg

23500:-

CP0611P RS 1"

Art nr 6151590050



BENEFITS

- ✓ Working Torque Range (fwd): 1220-2440 Nm
- ✓ Maximum Torque (reverse): 3790 Nm
- ✓ Free speed: 3500 rpm
- ✓ Blows per minute: 1020
- ✓ Length: 360 mm
- ✓ Weight: 10.4 kg

27500:-

CP0611-D28H 1"

Art nr 6151590160



42000:-

CP6120-D35H 1 1/2"

Art nr 6151590120

The most productive 1 1/2"

BENEFITS

- ✓ Working Torque Range (fwd): 815-2,710 Nm
- ✓ Maximum Torque (reverse): 4880 Nm
- ✓ Free speed: 3500 rpm
- ✓ Blows per minute: 960
- ✓ Length: 420 mm
- ✓ Weight: 15.6 kg

MATERIAL REMOVAL



**Angel Grinder
CP3019-12AC**



**Sander
CP3019-20AF**



**Sander
CP3019-12AF**

MODEL	PART NUMBER	FREE SPEED	POWER	PAD Ø	COLLET SIZE	SPINDLE THREAD	FREE SPEED AIR CONS.	ACTUAL AIR CONS.	NET WEIGHT	AIR INLET	PRICE
		rpm	W	mm	mm	in.	l/s	l/s	kg	NPT	
CP3019-12AC	615 160 4070	12.000	375	---	6.35	---	3.2	8.0	0.51	1/4"	6900:-
CP3019-20AF	615 160 7090	20.000	375	75	---	1/4" UNC	8.3	3.0	0.63	1/4"	6500:-
CP3019-12AF	615 160 7080	12.000	375	75	---	1/4" UNC	9.3	5.7	0.63	1/4"	6500:-

PART NUMBER	CAPACITY	PRICE
205 054 9913	2" (50mm)	110:-

High performance in a compact package

High performance Industrial die grinder in a compact package



CP3019-20 CNOMO
Art nr 6151600340

5300:-

- BENEFITS**
- ✓ Collet size: 6 mm
 - ✓ Free speed: 20000 rpm
 - ✓ Power: 249 W
 - ✓ Length & Weight: 169 - 363 mm · 0.4 - 0.6 kg



CP3019-20ES CNOMO
Art nr 6151602210

6000:-

High performance Industrial die grinder in a compact package



CP3119-22 CNOMO
Art nr 6151600410

8000:-

- BENEFITS**
- ✓ Collet size: 6 mm
 - ✓ Free speed: 22000 rpm
 - ✓ Power: 900 W
 - ✓ Length & Weight: 222 - 363 mm · 1.0 - 1.4 kg



CP3119-22ES CNOMO
Art nr 6151602280

9500:-

GOOD



2500:-

CP7550-A

Art nr 8941075503

- ✓ Wheel size: 125 mm
- ✓ Spindle thread: ... M14
- ✓ Free speed: 12000 rpm
- ✓ Power: 840 W
- ✓ Weight: 1,6 kg

BETTER



4900:-

CP3450-12AA5

Art nr 6151604040

- ✓ Wheel size: 125 mm
- ✓ Spindle thread: ... M14
- ✓ Free speed: 12000 rpm
- ✓ Power: 810 W
- ✓ Weight: 1,7 kg

BEST



AUTOBALANCER

9999:-

CP3650-120AA5VK

Art nr 6151607180

- ✓ Wheel size: 125 mm
- ✓ Spindle thread: ... M14
- ✓ Free speed: 12000 rpm
- ✓ Power: 1700 W
- ✓ Weight: 1,9 kg

KINGS OF REMOVAL

SUPERIOR TORQUE FOR MAXIMUM PRODUCTIVITY



10900:-

CP3850-85AH7VE

Art nr 6151704930

- ✓ Wheel size: 180 mm
- ✓ Spindle thread: ... HEX
- ✓ Free speed: 8500 rpm
- ✓ Power: 21000 W
- ✓ Weight: 2,70 kg

CP3850-65AH9VE

Art nr 6151704950

- ✓ Wheel size: 230 mm
- ✓ Spindle thread: ... HEX
- ✓ Free speed: 6500 rpm
- ✓ Power: 2100 W
- ✓ Weight: 2,90 kg

11500:-



CP3349-SALAVELE

Art nr 6151609130

- ✓ Spindle thread: 5/8-11
- ✓ Wheel size: 230 mm
- ✓ Free speed: 6500 rpm
- ✓ Power: 3000 W
- ✓ Weight: 4.4 kg



*Superlative performance
in heavy applications*

13500:-

INDUSTRIAL REVERSIBLE PISTOL DRILLS

2450:-

CP1114R40

Art nr 6151580340

- ✓ Chuck capacity: 10 mm
- ✓ Free speed: 4000 rpm
- ✓ Power: 400 W
- ✓ Max torque: 1.7 Nm
- ✓ Net weight: 1.3 kg

2450:-

CP1114R26

Art nr 6151580330

- ✓ Chuck capacity: 10 mm
- ✓ Free speed: 2600 rpm
- ✓ Power: 400 W
- ✓ Max torque: 5.5 Nm
- ✓ Net weight: 1.3 kg



Forward – reverse switch for easier drilling and reaming.



REVERSIBLE INDUSTRIAL DRILLS NEVER FELT SO COMFORTABLE

3100:-

CP1114R09

Art nr 6151580320

- ✓ Chuck capacity: 13 mm
- ✓ Free speed: 900 rpm
- ✓ Power: 400 W
- ✓ Max torque: 16.8 Nm
- ✓ Net weight: 1.8 kg

3100:-

CP1114R05

Art nr 6151580310

- ✓ Chuck capacity: 13 mm
- ✓ Free speed: 500 rpm
- ✓ Power: 400 W
- ✓ Max torque: 25.2 Nm
- ✓ Net weight: 1.8 kg



*High performance
& ergonomics*

CP3650-085AB

Art nr 6151620190

- ✓ Wheel size: 180 mm
- ✓ Spindle: 5/8" 11
- ✓ Free speed: 8500 rpm
- ✓ Power: 1700 W
- ✓ Weight: 1,39 kg

8500:-



*Heavy-duty
angle sander*

CP7269S

Art nr 8941078690

- ✓ Wheel size: 180 mm
- ✓ Free speed: 5000 rpm
- ✓ Power: 500 W
- ✓ Weight: 2,30 kg

2700:-



1100:-

**Needle Scaler
CP7115**

Art nr 8941071150

Compact to reach small areas

BENEFITS

- ✓ Good power/weight ratio
- ✓ Blows per minute: 2400
- ✓ Bore - Stroke: 23.5 mm - 11 mm
- ✓ Power: 1.8 joule
- ✓ Needle capacity: 19 x 1/8 (3)
- ✓ Length - Weight: 290 mm - 1.3 kg



2400:-

**Belt Sander
CP9780**

Art nr 6151939780

Easy handling & large removal

BENEFITS

- ✓ Quick-change belt replacement
- ✓ Paper size: 20x520
- ✓ Free speed: 20000 rpm
- ✓ Power: 380 W
- ✓ Length: 380 mm
- ✓ Weight : 1.5 kg

STALL TORQUE NUTRUNNERS

CPN SERIES (COMFORTABLE PNEUMATIC NUTRUNNER)

**ASK FOR
PRICE!**

CP6613

Art nr 6151800090

- ✓ Square drive: 3/4"
- ✓ Free speed: 12 rpm
- ✓ Max torque, fwd & rev: 1300 Nm
- ✓ Length: 212 mm
- ✓ Weight Including Reaction Arm: 3.7 kg

CP6626

Art nr 61518001000

- ✓ Square drive: 1"
- ✓ Free speed: 10 rpm
- ✓ Max torque, fwd & rev: 2600 Nm
- ✓ Length: 300 mm
- ✓ Weight, Including Reaction Arm: 5.7 kg

CP6641

Art nr 6151800110

- ✓ Square drive: 1"
- ✓ Free speed: 10 rpm
- ✓ Max torque, fwd & rev: 4100 Nm
- ✓ Length: 361 mm
- ✓ Weight, Including Reaction Arm : 9.9 kg



*No impact
– continuous
rotation for
heavy duty
fastening*

**The highest accuracy with
the Air Torque Control
(ATC) FRL pack**



HOSE REELS


A

- Extreme Robustness
- Made for All Purposes
- Adapted even to Industrial Uses


B

- Open
- More adapted to dirty environments
- Still Great Robustness and For All Purposes



PIC. REF	DESCRIPTION	PART NUMBER	THREAD	HOSE LENGTH (m)	Ø INT. (mm)	MATERIAL	PRICE
A	BSP HR8108	8940171991	1/4"	10	8	Composite	1600:-
A	BSP HR8208	8940171995	1/4"	10	8	Aluminum	2000:-
A	BSP HR8110	8940171993	1/4"	16	10	Composite	2300:-
A	BSP HR8210	8940171997	1/4"	16	10	Aluminum	3000:-
B	BSP HR9110	8940172001	3/8"	21	10	Composite	4300:-
A	BSP HR8113	8940171999	1/2"	16	13	Composite	3300:-
B	BSP HR9113	8940172003	1/2"	16	13	Composite	4600:-

AIR FLEX

Aimed to improve the working ergonomics, Air flex connectors can rotate 360° eliminating efforts when working in cramped spaces



MODEL	PART NUMBER	RECOMMENDED FLOW - MAX	PRICE
		l/s	
1/4"	894 017 1568	12	450:-
3/8"	894 017 1570	35	599:-
1/2"	894 017 1566	35	599:-

SWIVEL



Aimed to improve the working ergonomics, Air flex connectors can rotate 360° eliminating efforts when working in cramped spaces.

MODEL	PART NUMBER	PRICE
SWIVEL	894 015 8412	150:-

BLOW GUN

DESCRIPTION	PART NUMBER	PRICE
Blow gun standard	615 811 2690	140:-
Blow gun standard silencer	615 811 2700	140:-
Blow gun extended nozzle	615 811 2710	140:-
Blow gun extended nozzle silencer	615 811 2720	180:-




OIL AND GLOVES



DESCRIPTION	PART NUMBER	PRICE
Air Tool Oil - 120 ml	CA149661	40:-
CP Gloves L	8940158618	350:-
CP Gloves XL	8940158619	350:-

COUPLINGS; FILTERS, REGULATORS, LUBRICATORS (FRL) – CHECK OUR MAIN CATALOG





TITAN
BY CHICAGO PNEUMATIC

**Titan hydraulic
torque wrenches:
T Series**

More info at: www.titanti.com


**Easily find the tools you need
to get the job done!**



CP ToolBox



Get the free CP ToolBox
Scan this QR code or visit www.cp.com/app



Order the complete catalogue at
order.seo@cp.com or from your dealer.

ORDER DIRECT:
ORDER.SEO@CP.COM

THE NEAREST DEALERS:
+46 (0)525 35255

CHICAGO PNEUMATIC TOOLS DIVISION

Västgötavägen 30, 451 34 UDDEVALLA

Tel: + 46 (0) 525 352 55

Email: info.seo@cp.com • order.seo@cp.com

Distributor



**Chicago
Pneumatic**

www.cp.com